

New and Used Equipment

News Letter

February 2011

We are pleased to offer to you New and Used Equipment as below and refer to our website for your reference.

POWER CURBER 5700

Concrete Slipformpaver PC 5700 B YOM: 1999 hours:
4200



NEW TRENCH- TECH ROCK TRENHER TT-2850C

Chain Trencher, equipped with a C27 CAT® Electronic Diesel Engine, 875 HP, modular high performance boom 1,5m x 6,1m, patented Trench-Tech® wear plates for a long life of the trencher, automatic greasing system, surveillance of all security systems from the cabin.

approx. weight 120 –134 ton
YOM/ Model No. 2009–2850C



NEW TRENCH- TECH ROCK TRENHER TT-2650C

Chain Trencher, equipped with a C18 CAT® Electronic Diesel Engine, 635 HP, modular high performance boom with hydraulic scraper 1,2m x 3,05m, patented Trench-Tech® wear plates for a long life of the trencher, automatic greasing system, surveillance of all security systems from the cabin.

approx. weight 90 –106 ton
YOM/ Model No. 2009–2650C



NEW TRENCH- TECH ROCK TRENHER TT-2500C

Chain Trencher, equipped with a C15 CAT® Electronic Diesel Engine, 540 HP, Allison Transmission and Torque Converter, cutting width 0,91m, cutting depth 2,4m, blade section 2m, hydraulic berm scrapers for the use at 2,4m, patented Trench-Tech® wear plates for a long life of the trencher, airconditioned height adjustable cabin.

approx. weight 66 –80 ton
YOM/ Model No. 2008–2500C



NEW TRENCH- TECH ROCK TRENHER TT-2300C

Chain Trencher, equipped with a C11 CAT® Electronic Diesel Engine, 385 HP, Allison Transmission and Torque Converter, cutting width 0,66m, cutting depth 2,4m, blade section 2m, hydraulic berm scrapers for the use at 2,4m, patented Trench-Tech® wear plates for a long life of the trencher, airconditioned height adjustable cabin.

approx. weight 50 –56 ton
YOM/ Model No. 2008–2300C



NEW TRENCH- TECH ROCK TRENHER TT-2350C

Chain Trencher, equipped with a C9 CAT® Electronic Diesel Engine, 350 HP, Funk Transmission and Torque Converter, Digging Boom 1,85m, cutting width 0,66m, hydraulic berm scraper, patented Trench-Tech® wear plates for a long life of the trencher, air-conditioned height adjustable cabin.

approx. weight 39 ton
YOM/ Model No. 2008–2350C



NEW TRENCH- TECH ROCK TRENHER TT-2700C

Chain Trencher, equipped with a 3412E Electronic Diesel Engine, 765 HP, Digging Depth 3,65m, cutting width 1,37m, modular high performance digging boom, patented Trench-Tech® wear plates for a long life of the trencher, automatic greasing system for the engine transmission

approx. hours 800
approx. weight 120 - 134 ton
YOM/ Model No. 2006–2700C



NEW TRENCH- TECH ROCK TRENHER TT-2500C

Chain Trencher, equipped with a C15 CAT® Electronic Diesel Engine 525 HP, Allison® Transmission and torque converter, Digging Depth 4,9m, sectionalized at 3,6m, cutting width 0,8m, D7 Grouser Pads, patented Trench-Tech® wear plates for a long life of the trencher, height adjustable cabin with air-condition

approx. hours 7.750
approx. weight 68-80 ton
YOM/ Model No. 2001–2500C



NEW TRENCH- TECH ROCK TRENHER TT-2300C

Chain Trencher, equipped with a C11 CAT® Electronic Diesel Engine 385 HP, Allison® Transmission and torque converter, Digging Depth 3,65m, sectionalized at 2,4m, cutting width 0,8m, patented Trench-Tech® wear plates for a long life of the trencher, height adjustable cabin with air-condition

approx. hours 1.100
approx. weight 49-57 ton
YOM/ Model No. 2007–2300C



NEW TRENCH- TECH ROCK TRENHER TT-2350C

Chain Trencher, equipped with a C9 CAT® Electronic Diesel Engine 350 HP, Funk® Transmission and torque converter, Digging Depth 2,4m, sectionalized at 1,8m, cutting width 0,45m or 0,65m, patented Trench-Tech® wear plates for a long life of the trencher, height adjustable cabin with air-condition

approx. hours 150
approx. weight 40 ton
YOM/ Model No. 2008–2350C



Euromid@hotmail.de



www.offer.euromid-int.com

If you have more request, pls don't hesitate to contact us anytime.



Euromid International Group

Egypt–Argentina–Australia–Brazil–China–Denmark–Finland–France–Great Britain–Greece–Hong Kong–Indonesia–Jordan–Malaysia–Canada–Mexico–Netherlands–Russia–Poland–Spain–Sweden–Switzerland–Spain–Ukraine–USA–UAE.–Dubai

German Office: Rennbahnstrasse 17a, D-90453 Nuremberg – Tel+ 49 172 3155 721 Tel +49 911 / 63 22 58 6 Fax +49 911 / 63 22 58 7

www.offer.euromid-int.com www.euromid-int.de www.enoxpetrol.com www.oxygen2solar.euromid-int.de

